




S/C

ORIGINAL FOR RECIPIENT														
TAX INVOICE														
BMG Informatics Pvt. Ltd.							INVOICE NO : 14GST/20-21/5631							
Disha Enclave 1st Floor Arunadoy Path Christianbasti Basti Guwahati - 781005 Assam							DATE OF ISSUE : 27/03/2021				GSTIN : 18AADCB2203Q3ZL		PAN : AACDB2203Q	
							STATE : Assam				State Code : 18		Contract No: GEMC-511687713930878	
							Generated Date: 05-Feb-2021							
We Declare that we are Micro & Small Enterprises registered with NSIC, Regn No. NSIC/GP/GUW/2019/0037478, Date: 05/07/2019														
RECEIVER (BILL TO)							CONSIGNEE (DELIVERED TO)							
Computer Engineer Tezpur University Post Office - Napaam, SONITPUR, ASSAM-784028, India State : Assam State Code : 18 GSTIN/ Unique Id : 18AAAJT2654F1Z1							Tezpur University Post Office - Napaam, SONITPUR, ASSAM-784028, India State : Assam State Code : 18 GSTIN/ Unique Id : 18AAAJT2654F1Z1							
Item No.	HSN/ SAC	Name of Goods or/and Services Supplied	UOM	QTY	UNIT Rate	VALUE	SGST		CGST		IGST		TOTAL VALUE	
							Rate	Amount	Rate	Amount	Rate	Amount		
1	8471	Storage System Make : Lenovo Model : THINKSYSTEM SR550	Nos.	1	538234.29	538234.29	2.5%	13455.86	2.5%	13455.86	0%	0	565146.00	
2	8471	Hyper Converged Infrastructure for Data Center (Version 2.0) Make: Lenovo Model: THINKAGILE VX3320	Nos.	1	3973471.43	3973471.43	2.5%	99336.79	2.5%	99336.79	0%	0	4172145.00	
3	8473	Networking/Server Rack Make: Netrack Model: NRS-42-RA-8001000-ACC	Nos.	1	59669.52	59669.52	2.5%	1491.74	2.5%	1491.74	0%	0	62653.00	
TOTAL				3		4571375.24		114284.38		114284.38			4799944.00	
Note : GST Charged @ 5% as per your P.O. and as per CGST Notification No. 45/2017 - Central Tax (Rate) & IGST Notification No. 47/2017 - Integrated Tax (Rate) Dt. 14/11/17 Certificate to be provided by Tezpur University.														
Total Amount before tax GST (SGST / CGST / IGST)												4571375.24		
Total Amount Payable inclusive of GST tax												4799944.00		
R/O												0.00		
Net Receivable												4799944.00		
Receivable amount In words: Rupees Forty Seven Lakhs Ninety Nine Thousand Nine Hundred Forty Four Only.							for BMG Informatics Pvt. Ltd.							
Payment may please be made through RTGS/ NEFT at the following details: Name of Account: BMG Informatics Pvt. Ltd. Name of the Bank: State Bank of India, Gitanagar Branch Account No.: 30778059149 Bank Code: 07202 Account Type: Current Account IFSC Code: SBIN0007202							 							
E & OE														
CIN NO : U72200AS2007PTC008456														

Organisation Details	Buyer Details
Type: Statutory bodies	Designation: Computer Engineer
Ministry: Ministry of Human Resource Development	Contact No.: 03712-273202-
Department: Department of Higher Education	Email ID: dhirajkumar.sarma@gov.in
Organisation Name: Tezpur University	GSTIN: 18AAAJT2654F1DA
Office Zone: Tezpur	Address: Post Office - Napaam, SONITPUR, ASSAM-784028, India

Financial Approval Detail	Paying Authority Details
IFD Concurrence: No	Payment Mode: Offline
Designation of Administrative Approval: Deputy Registrar (F)	Designation: Deputy Registrar Finance 1
Designation of Financial Approval: Finance Officer	Email ID: pay1.tezuv.assam@gembuyer.in
	GSTIN: 18AAAJT2654F1Z1
	Address: Post Office - Napaam, SONITPUR, ASSAM-784028, India

Seller Details	
GeM Seller ID:	145A180000091343
Company Name:	BMG INFORMATICS PRIVATE LIMITED
Contact No.:	03612340136
Email ID:	marketing@bmginformatics.co.in
Address:	1st Floor,Disha Enclave, Wills Lifestyle Annex Building,Arunoday Path,Christian Basti, Guwahati, Assam-781005, -
MSME verified:	Yes
GSTIN:	18AADCB2203Q3ZL

*GST / Tax invoice to be raised in the name of - Buyer

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	Storage System	Storage System	Lenovo	HSN not specified by seller	1	pieces	565,146
2	Hyper Converged Infrastructure for Data Center (Version 2.0)	Hyper Converged Infrastructure for Data Center (Version 2.0)	Lenovo	HSN not specified by seller	1	pieces	4,172,145
3	Networking/Server Rack	Networking/Server Rack	NRS-42-RA-8001000-ACC	HSN not specified by seller	1	pieces	62,653
Total Order Value (in INR)							4,799,944

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: dhirajkumar.sarma@gov.in Contact: 03712-273202- GSTIN: 18AAAJT2654F1DA Address: Post Office - Napaam, SONITPUR, ASSAM-784028,	Hyper Converged Infrastructure for Data Center (Version 2.0)	-	1	05-Feb-2021	22-Mar-2021
		Storage System	-	1	05-Feb-2021	22-Mar-2021
		Networking/Server Rack	-	1	05-Feb-2021	22-Mar-2021

Product Specification for Storage System

Specification	Sub-Spec	Value
Specification	Storage System Type	Unified Storage
Group2	Storage Capacity (TB)	128
Group3	Hardware Form Factor of Storage System (RU)	2
Disk	Disk Type	NL-SAS
	Speed of dual ported disk drive in Gbps	12
	Total Numbers of Drive Slots	0
	Number of Drive Slots Populated with drives of different type in the Storage System	8
	Total no of drive slot populated with SSD	0
	Total no of drive slot populated with Flash Drive	0
	Total no of drive slot populated with SAS	0
	Total no of drive slot populated with NL-SAS	0
	Drive Type Wise Storage Capacity of System in GB	-
	Automated Storage tiering feature across the populated Drives types(in case of multiple drive system)	No
	Automated Storage tiering Software License Included	No
	Hot Spares	No
	Number of Populated Disks per Hot Spare	0
	Provision for additional Capacity	No
	If Yes, Number of Drive Slots available to achieve additional capacity	0
Connectivity/Port	Type of Front end Ports	-
	Number of Front end Ports	4
	Speed of front end Ports in Gbps	10
	Type of Back end Ports	-
	Number of Back end Ports	2
	Speed of Back end ports in Gbps	12
	Number of Remote Replication Ports(FC/Ethernet)	NA
Controllers	Number of Controllers/VSD/ Node available in the storage System on common back plane without using external switch/device OR without common backplane using switches	1
	RAID Level Support	0,1,01,10
	Active-Active Controllers Configured in HA	No
	Active Stand by Controller Configured in HA	No
System Cache	Cache Availability Type	NA
	Total Configurable Cache (GB)	32
Group4	Wide Stripping or equivalent feature	No
Group5	No of Snapshot Copies Per Volume	4
	License for Snapshot included	No
	Remote Replication	No

Data Replication	Remote Replication license included	No
	Synchronized Replication Support	No
	Synchronous Replication license included	No
	Asynchronous Replication Support	No
	Asynchronous Replication license included	No
	3-DC Zero Data Loss Support	No
	If Yes, Supported Replication Topology for 3-DC Zero Data Loss	-
Group6	Type of Data Compression	NA
	Type of Data Deduplication	NA
	No Single point of Failure with Non-Disruptive replacement of Hardware	No
	The Storage provide Non disruptive Firmware /Microcode upgrade	No
	Firmware upgrade without any controller reboot	No
Encryption Mode	Encryption Required	No
	Type of Data at Rest Encryption	NA
Group7	Storage management software for configuration and multi-pathing(part of the supply).	YES
Group8	Multi-pathing and load balancing and fail over software (part of supply) with license for windows/Linux servers or shall support native multipathing of OS.	YES
Group 9	Protocols Supported by the storage system from day one	-
Group 10	Operating System Platform and Clustering Supported by the Storage from day one	-
Group11	Operating Temp Range	-
Group12	Storage Temp Range	-
Group13	Operating Humidity (Rh)	-
Group14	Storage Humidity (Rh)	-
Group15	BIS Registration under CRS of MeiTY	Yes
	If Yes, BIS Registration No under CRS of MeiTY otherwise indicate N/A	-
	BIS Registration Certificate shall be furnished when demanded by the buyer	Yes
Group16	Storage System is compliant with IPV6	Yes
Group17	Standby power consumption of System in Watt	750
Group18	Scope of Supply	It includes installation, commissioning & integration together with all necessary software to make the system fully functional as intended.
Group19	On Site OEM Warranty	3

Product Specification for Hyper Converged Infrastructure for Data Center (Version 2.0)

Specification	Sub-Spec	Value
	Type of HCI offered	3. Generic node HCI(consisting both Compute and Storage)
	Name of the OEM of HCI	-
	Country of Origin of HCI	-
	Make & Model of Server/Appliance/Node	-
	Total usable Cores available (after installation of HCI)	

0	with NL SAS drives in TB (Hint :- Select '0' if not applicable)
0	Storage capacity offered per node with NVMe in TB (Hint :- Select '0' if not applicable)
0	Storage Scalability per node with NVMe in TB (Hint :- Select '0' if not applicable)
0	RAM Capacity (Raw) offered per node in GB (Hint: Select 0 if not applicable)
384	RAM scalability per node in GB (Hint: Select 0 if not applicable)
1536	RAM scalability per node in GB
0	No of cache drives per node
800	Cache offered per node in GB (Hint: Select '0' if not applicable)
0	Cache scalability per node in GB (Hint: Select '0' if not applicable)
4	Number of Network ports per node (Hint: Select '0' if not applicable)
NA	Throughput Per Network port
NA	Type of Network port
-	Uplink Connectivity for HCI Solution
2	Number of L2 Switches to be offered for Interconnection all the Network Ports in the Cluster
-	Indicate Switch Model number with Make
10 Gbps	Throughput Available per port
16	Number of Available Ports for 10 Gbps throughput per Switch (Hint :- Select '0' if not applicable)
16	Number of Enabled Ports for 10 Gbps throughput per Switch (Hint :- Select '0' if not applicable)
0	Number of Available Ports for 25 Gbps throughput per Switch (Hint :- Select '0' if not applicable)
0	Number of Enabled Ports for 25 Gbps throughput per Switch (Hint :- Select '0' if not applicable)
0	Number of Available Ports for 40 Gbps throughput per Switch (Hint :- Select '0' if not applicable)
0	Number of Enabled Ports for 40 Gbps throughput per Switch (Hint :- Select '0' if not applicable)

HCI Interconnect Switches

BASIC INFORMATION

	for solution) in the offered solution (Hint :- Select '0' if not applicable)
15	Total usable Storage in TB available without using De-duplication,Compression (after installation of HCI software resources required for solution) in the offered solution (Hint :- Select '0' if not applicable)
680	Total usable RAM in GB available (after installation of HCI software resources required for solution) in the offered solution (Hint :- Select '0' if not applicable)
2	Types of data copies across Cluster available in the offered solution (Hint: Select 0 if not applicable)
3	Number of Nodes offered in HCI Cluster (Hint:- 1 node option upgrade or DR only)
1	Number of Sockets offered per Node
28	Number of Cores per Sockets
1	Number of populated Processor per Node
2. Intel Cascade lake	Type of Processor offered in the system
-	Inticate Processor Model number with Make
1. SSD Drives	Type of storage media offered with the solution
0	Total Storage capacity (RAW) offered per node in TB (Hint: - 0 is only for compute node)
0	Storage capacity offered per node with SAS drives in TB (Hint :- Select '0' if not applicable)
0	Storage capacity offered per node with SSD drives in TB (Hint :- Select '0' if not applicable)
0	Storage capacity offered per node with NL SAS drives in TB (Hint :- Select '0' if not applicable)
0	Storage Scalability per node for solution) in the offered solution (Hint :- Select '0' if not applicable)

	40 Gbps throughput per Switch (Hint :- Select '0' if not applicable)	0	
	Number of Available Ports for 100 Gbps throughput per Switch (Hint :- Select '0' if not applicable)	0	
	Number of Enabled Ports for 100 Gbps throughput per Switch (Hint :- Select '0' if not applicable)	0	
	IOPS delivered at 70:30 Read:Write Ratio on 8K block size with latency of 5ms maximum for each node	45000	
	Scalability: Any additional node/ storage/ RAM added to the cluster to augment compute/storage/memory capacities, the same performance per node on upgraded node / Storage / RAM	Yes	
	ADDITIONAL PERFORMANCE PARAMETER	1. NA	
HCI FEATURES			
HCI Features 3	8. NA		
HCI Features 4	9. NA		
HCI Features 5	9. NA		
Additional features of HCI	-		
Encryption at	3. NA		
Supports	4. NA		
Supported industry protocols by HCI	7. NA		
HCI capability to support File/Block Services and file/block replication across clusters for	7. NA		
Inline data Compression & Deduplication function licenses for	3. NA		
Number of nodes HCI supports in same			
HCI Features 1	1. HCI have all the features of offered industry standard hypervisor,2. HCI have independently scale storage and compute as and when needed without any downtime,3. HCI have mechanism for Metadata protection for all offered nodes within the cluster so as to provide high availability and no single point of failure,5. HCI supports thin provisioning of both storage entities and virtual machine hard disks,6. HCI provides automatic failover in case of hardware failure,7. VLAN for networking and integrated VM IPs Management capabilities,8. HCI has security compliance methodology to ensure highly secure environment,9. HCI has data replication with WAN optimization.		
HCI Features 2	1. HCI provides management through a remote/On premise GUI console. Also provides storage, compute & hypervisor metrics on a per VM /Node level as well as health and monitoring of entire platform,2. Platform support LDAP Active Directory integration. The clients installed on any major Operating System,3.Platform supports monitoring via SNMPv3 , email alerting via SMTP,4. Capable of creating instant snapshots of virtual machines and maintaining multiple copies of snapshots & clones,5. Capability to support native VM/HCI level replication for installed Hypervisor,6. Storage policy on individual VM will provide enhanced performance and flexibility to end user for better storage management.		
HCI Features 3	8. NA		
HCI Features 4	9. NA		
HCI Features 5	9. NA		
Additional features of HCI	-		
Encryption at	3. NA		
Supports	4. NA		
Supported industry protocols by HCI	7. NA		
HCI capability to support File/Block Services and file/block replication across clusters for	7. NA		
Inline data Compression & Deduplication function licenses for	3. NA		
Number of nodes HCI supports in same			

Specification		Sub-Spec	Value
	Type of Server Racks	Rack Enclosures	
	Size of Server Rack Enclosure	42U	
	Depth of the Rack (mm)	Upto 1000	
	Mount Type	Free-Standing	
	Front glass Door	No	
	Type of glass used in front door	NA	
	Material used for rear door	CRCA Steel	
	Both rear and front doors with Perforation	Yes	
	Side Panels With Key Locks and Slam Latch	Yes	
	Secure Locks	Available	
	Rear split door design	Yes	
	Keyboard Tray Sliding and Rotary	Yes	
Product Specification for Networking/Server Rack			
GENERIC PARAMETERS			
	any node out of the offered be able to use the storage of all other nodes	NA	
	"Hypervisor to be integrated with SDS"	NA	
	HCI support	4.VSPHERE	
	"Bare-metal / Non Bare metal type of virtualization hypervisor"	NA	
	"Integration with Third Party FC Storage"	6. NA	
	"The length of cable connecting the Nodes to the Switch (meters)"	3	
	Advance features of HCI	1. NA	
	The offered product have support from OEM for	1. Updation for Patches and Bug fixes for software within support period.,3. Service and support from OEM within support period.	
	Number of Years upto which support is available from OEM for Updation (Patches and Bug fixes) within support period	3	
	Number of Years upto which support is available from OEM support is available from OEM for Upgradation of version within support period	NA	
	"Number of years of service and support from OEM"	3	
	Installation, & Commissioning	Yes	
	Number of days Training Provided at Site by OEM	0	
	Indicate certification available for the offered product	-	
	Hyper link to Data sheet	-	

Terms and Conditions

1. General Terms and Conditions

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 **Terms of delivery:** Free Delivery at Site including loading/unloading, in respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

1.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

1.3 **Delivery period:** The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 **Performance Security:** If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 **Taxes and Duties:** Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 **Octroi Duty and / or other local taxes:** Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 **Limitation of Liability:** The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 **Resolution of disputes:** The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

Buyer added Bid Specific Additional Scope of Work

S.No	Document Title	Description	Applicable i.r.o. Items
1	Additional Terms and Scope View	Additional Terms and Scope	Storage System(1)

Specifications

Yes	Shelf For CRT/FT Display
Yes	Cable channel in rear side for cable management
Yes	Support cable entry from top or bottom
Yes	Vertical & Horizontal managers
1	Numbers of Rack trays
4	Number of Fan For Heat dissipation (nos)
1	Number of fan trays
Yes	Heavy Duty Caster Wheels
Available	If yes, then Front Break Options
1250	Load Bearing Capacity (Kgs)
NA	If Wall mount racks then, Swing-Out Racks
No	Dust or water resistant
Available	PDU Power Strips
120	Weight (kg)
1	Warranty (Years)

Specification		Sub-Spec	Value
Product Specification for Networking/Server Rack			
GENERIC PARAMETERS	any node out of the offered be able to use the storage of all other nodes		
	"Hypervisor to be integrated with SDS"	NA	
	HCI support	4.VSPHERE	
	"Bare-metal / Non Bare metal type of virtualization hypervisor"	NA	
	"Integration with Third Party FC Storage"	6. NA	
	"The length of cable connecting the Nodes to the Switch (meters)"	3	
	Advance features of HCI	1. NA	
	The offered product have support from OEM for	1. Updation for Patches and Bug fixes for software within support period, 3. Service and support from OEM within support period.	
	Number of Years upto which support is available from OEM for Updation (Patches and Bug fixes) within support period	3	
	Number of Years upto which support is available from OEM support is available from OEM for Upgradation of version within support period	NA	
	"Number of years of service and support from OEM"	3	
	Installation, & Commissioning	Yes	
	Number of days Training Provided at Site by OEM	0	
	Indicate certification available for the offered product	-	
Hyper link to Data sheet	-		
Type of Server Racks	Rack Enclosures		
Size of Server Rack Enclosure	42U		
Depth of the Rack (mm)	Upto 1000		
Mount Type	Free-Standing		
Front glass Door	No		
Type of glass used in front door	NA		
Material used for rear door	CRCA Steel		
Both rear and front doors with Perforation	Yes		
Side Panels With Key Locks and Slam Latch	Yes		
Secure Locks	Available		
Rear split door design	Yes		
Keyboard Tray Sliding and Rotary	Yes		

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions

2.1 IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.2 Bidders can also submit the EMD with Account Payee Demand Draft in favour of Registrar, Tezpur University payable at Tezpur.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.3 Bidders can also submit the EMD with Banker's Cheque in favour of Registrar, Tezpur University payable at Tezpur.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.4 Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of Registrar, Tezpur University payable at Tezpur. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

2.5 NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

2.6 Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.7 Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.8 ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.9 Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.10 OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.11 Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.12 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.13 Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.14 Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide AMC Service for next 2 years for the offered products at the rate not more than 10 % of contract price per annum. Buyer reserves the right to enter into an AMC agreement (covering preventive maintenance and servicing)with the Successful Bidder / OEM after expiry of the Warranty period at rate as mentioned above and the payment for the AMC charges would be made Quarterly after rendering of the AMC Services of the relevant AMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the AMC contract when called upon by the buyer. The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 10% of total AMC value valid up to AMC period plus 2 months (if there is no other claim). (Undertaking of acceptance to be uploaded with bid).

2.15 Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.16 Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

2.17 Procurement under this bid is reserved for purchase from Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.

2.18 For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

- a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
- b. Execution certificate by client with order value.
- c. Any other document in support of order execution like Third Party Inspection release note, etc.

2.19 Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.20 IT equipment shall be IPv6 ready from day one.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Sanction of the competent authority is hereby conveyed for incurring an expenditure of amount as under towards the cost of Purchase order/Contract placed on the Seller for Supply of Goods/Services as per the contract for making payment to the Seller subject to deduction of TDS as applicable:

Organisation Details		Buyer Details	
Type:	Statutory bodies	Name:	Dhiraj Kumar Sarma
Ministry:	Ministry of Human Resource Development	Designation:	Computer Engineer
Department:	Department of Higher Education	Email ID:	dhirajkumar.sarma@gov.in
Organisation Name:	Tezpur University	GSTIN:	18AAAJT2654F1DA
Office Name:	Tezpur	Address:	Post Office - Napaam SONITPUR ASSAM - 784028

Financial Approval Detail	
Designation of official providing Administration approval:	Deputy Registrar (F)
IFD Concurrence / Competent Authority (HOD / Head of Office) Approval Required?	NO
Budget availability	YES
Designation of official providing Financial approval:	Finance Officer

Seller Details	
Company Name:	BMG INFORMATICS PRIVATE LIMITED
Email ID:	marketing@bmginformatics.co.in
Address:	BMG INFORMATICS PRIVATE LIMITED Guwahati Assam - 781005

Product Details						
#	Item Description	Model	Ordered Quantity	Unit	Price per Unit inclusive of all Duties and Taxes (in INR)	Total Price (inclusive of all Duties and Taxes (in INR))
1	Storage System	Lenovo	1	pieces	565146.0	565146.0
2	Hyper Converged Infrastructure for Data Center (Version 2.0)	Lenovo	1	pieces	4172145.0	4172145.0
3	Networking/Server Rack	NRS-42-RA-8001000-ACC	1	pieces	62653.0	62653.0
Total Order Value (in INR)						4799944.0

Consignee Details						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Dhiraj Kumar Sarma dhirajkumar.sarma@gov.in Post Office - Napaam SONITPUR ASSAM - 784028	Hyper Converged Infrastructure for Data Center (Version 2.0)	-	1	05-Feb-2021	22-Mar-2021
		Storage System	-	1	05-Feb-2021	22-Mar-2021
		Networking/Server Rack	-	1	05-Feb-2021	22-Mar-2021

Terms & Conditions